

# 

# PRODUCT LISTING

PRECISION CAMERAS, LENSES, ACCESSORIES







MARKETING CORP., LINHOF DIVISION

Sole Importers









# INDEX

	Page		Page
A—CAMERAS & PROJECTORS—VIEWERS		HINGED TRIPOD MOUNTS	B-11
KARDAN CAMERAS	A-3, A-4	INSERTS FOR SUPER ROLLEX	B-3
TECHNAR CAMERAS	A-5	LENSBOARDS	B-12
TECHNIKA CAMERAS	A-1. A-2	LENS SHADES	B-6
TECHNORAMA CAMERA	A-5	MACROPHOTOGRAPHY	B-8
TEOTITOTIANIA OANIETTA		MONORAILS (EXTENSION)	B-11
		MULTIFOCUS OPTICAL VIEWFINDER	B-7
		OPTICAL VIEWFINDER	B-7
D ACCESCODIES		PHOTOMICROPHOTOGRAPHY	B-8
B—ACCESSORIES	B-11	PROJECTORS—VIEWERS	B-1
AUXILLARY STANDARDS	B-11 B-1, B-2	RAPID CHANGE ADAPTER SLIDE	B-10
BACKS	B-11	REDUCING BACKS	B-2
BELLOWS (NORMAL)	B-11	REFLEX ATTACHMENT	B-9
BELLOWS (WIDE ANGLE)	B-11	ROLLFILM BACKS	B-3
BELLOWS SUPPORT	B-10	SOLENOID	B-10
CABLE RELEASES	B-1, B-2	SPIRIT LEVEL	B-10
CAMERA BACKS	B-12	SUPER ROLLEX BACKS	B-3
CASES	B-3	VIEWFINDERS	B-7
CHANGING BAGS	B-3	WIDE-ANGLE FOCUSING DEVICE	B-11
CINE ROLLEX COMPENDIUM	B-6, B-11		
CONVERSION KITS SETS	B-13		
CUT FILM HOLDERS	B-3	C—LENSES	
	B-10	LENS ORDERING INFORMATION	C-1
		LINHOF SCHNEIDER LENSES	C-1, C-2
		LINHOF RODENSTOCK LENSES	C-2
		D-STANDS, HEADS	
			D-1, D-2
			D-2
ELECTRO MAGNETIC RELEASE EXTENSION RODS FILTERS FOCUSING & LIGHT MEASURING BELLOWS FOCUSING HOODS FORMAT CHANGING SETS FRESNEL SCREENS GROUNDGLASS	B-10 B-5, B-6 B-9 B-13 B-9 B-9	LINHOF SCHNEIDER LENSES	C-1, C-2 C-2



Sole Importers






Cat.

## **TECHNIKA CAMERAS**

## PAGE A-1

# **TECHNIKA CAMERAS**



#### LINHOF SUPER TECHNIKA 23B - CAT. NO. 00.0037


Most compact all-round medium format camera elegantly styled and built in the finest Linhof tradition of quality and lasting reliability. It combines compact size and handling ease of a light-weight "travelling" camera with all the capabilities of a topnotch precision instrument for professional work. This camera offers a full range of front standard and camera back movements with increased wide angle efficiency, ground glass or range finder focusing. Viewing via framefinder or optical multi-focus viewfinder for quick hand-held shooting. Complete selection of top-quality optics, including macrolenses, mounted on interchangeable lensboards. Interchangeable, revolving ground glass swing back for Super Rollex rollfilm holders and 2½ x 3½ in, sheet film, or Polaroid filmpack holders.

#### LINHOF MASTER TECHNIKA 4 x 5 — CAT. NO. 00.0054

LINHOF Technika cameras bring mobility to the large format. The Master Technika is the world's most well-known 4 x 5 range finder camera for fast handheld shooting. Perfect framing with different lenses is assured through the universal optical multi-focus finder or the multi-focus wire frame finder. With its ultra-compact housing, the Master Technika can easily be carried along and set up on location.

With the Master Technika, a fast hand-held shot with range finder focusing is as feasible as a deliberately composed studio or location photograph requiring the triple extension, multiple swings, tills and other camera movements of an optical bench studio camera. The Master Technika's wide range of adjustments allow full perspective and depth-of-field control and a clearly reproduced image on the large ground glass screen gives the professional all the possibilities and freedom he needs for the successful completion of even the most difficult assignments.

The extremely wide range and extent of camera movements found in the new Master Technika 4 x 5 is comparable only to those of monorail cameras; with the center swing of the lens standard now 30° to either side, full perspective control for optimum results is provided.



#### LINHOF SUPER TECHNIKA 5 x 7 — CAT. NO. 00.0014

The only 5 x 7 drop bed camera in existence with built-in and coupled range finder. The ideal choice for the professional or industrial photographic department requiring the 5 x 7 in. negative with its inherent sharpness and richness of detail combined with immense color saturation for top quality results especially in connection with modern printing techniques. In spite of its array of view camera features, it is easy to carry and always ready for action. The camera bed, when closed, protects lenses and lens standard from dust and dirt. With its compact and light-weight design, hand-held 5 x 7 shots are no problem, the anatomical hand grip with its built-in cable release or electro-magnetic release system (optional) helps to prevent camera shake.

	NO.
SUPER TECHNIKA 23B  Super Technika V 21/4x 31/4" Model B, with coupled, coincidence-type dichroic range finder, triple bellows extension, adjustable swing back with quick change revolving frame for instant adaptation of cutfilm and rollfilm holders. Accessory-shoe, dual tripod socket, focusing hood, ground glass 02.1806, w/o anatomical grip.	00.0037
Anatomical Grip	00.2512
Fresnel Screen 23	00.2566
Frame Finder w/Diopter	00.1372
Neck Strap	02.2576
Factory Equipped and Packaged Basic Outfit: As listed above w/o Lensboard w/o Lens	
RECOMMENDED OUTFIT: (Other Lenses see separate list — Section C)	
Super Angulon 5.6/65mm, Ø70mm, Compur O MC	00.0650
Lensboard 23 with C/R quicksocket for above	00.1002
Symmar S 5.6/100mm Ø51mm, Compur O, MC	00.0620
Lensboard 23 with C/R quicksocket for above	00.1005
Symmar S 5.6/180mm,Ø70, Compur 1 MC	00.0623
Lensboard 23 for Compur 1	00.1106
Complete one to three-lens outfits with the above lenses are available from stock, other lens combinations on special order. Up to 3 lenses (53 to 180mm) when supplied with camera are rangefinder-coupled at no charge.	
Multifocus Optical Viewfinder 21/4x31/4" (mask included)	00.1388
Add. Masks f/above: 21/4 x 23/4 Cat#1397; 21/4 x 21/4 Cat#1396 EACH	
Focusing and Light Measuring Bellows 23	00.2504
Adapter for Luna-Pro Exposure Meter	00.2581
Reflex Attachment 23	00.2629
Focusing Magnifier 8X	00.2645
SPECIFICATIONS FOR SUPER TECHNIKA V 2¼ x 3¼ MODEL B	
Front: 15° lens tilt fwd. & bkwd. on the horizon- tal axis	
15° dropbed with click-stop 32mm lens standard rise 24mm lateral shift in either direction	

MARKETING CORP., LINHOF DIVISION

Sole Importers 216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577 Max. Bellows draw: 300mm

Weight: 5 lbs. with grip without lens

15° swings in all directions





# **TECHNIKA CAMERAS**

# PAGE A-2

# **TECHNIKA CAMERAS**

	Cat.
MASTER TECHNIKA 4x5 Master Technika 4 x 5" with built-in, coupled precision long based dichroic rangefinder, triple dropbed extension, flap on top of camera to increase wide angle efficiency, lift lever for vertical displacement of lens standard, fully adjustable swing back, revolving universal ground glass back with focusing hood, without lens and lensboard, without anatomical grip.	00.0054
Anatomical Grip, left, with 17" cable release	00.2549
Fresnel Screen 4 x 5	00.2522
Frame Finder 4 x 5	00.1348
Factory Equipped and Packaged Basic Outfit: As listed above w/o Lensboard w/o Lens	
RECOMMENDED OUTFIT: (Other Lenses see separate list — Section C)	
Super Angulon 5.6/90mm, Ø85mm, Compur O, MC	00.0652
Recessed Lensboard 45 with C/R quicksocket	00.1015
Angle Nipple for Synchro Contact	02.2503
Symmar S 5.6/150mm, Ø60mm, Compur O, MC	00.0622
Recessed Lensboard 45 w/ C/R quicksocket	00.1015
Angle Nipple for Synchro Contact	02.2503
Tele Arton 5.6/250, Ø70mm, Compur 1	00.0342
Lensboard 45 with C/R quicksocket Factory Lens Installation/Coupling Package (Up to 3 lenses coupled at n/c when supplied w/ camera)	00.1716
Multifocus Optical Viewfinder 45 (mask included Add. Masks f/above: 3½ x 4½" Cat#1386, 2½ x 3½" Cat#1387, 2½ x 2¾" Cat#1382, 2½ x 2½" Cat#1383.	00.1378
Focusing and Light Measuring Bellows 4 x 5	00.2503
Adapter for Luna-Pro Exposure Meter	00.2581
Reflex Attachment 4 x 5	00.2628
Focusing Magnifier 8X	00.2645
Rapid Change Adapter Slide 4 x 5	00.2620
Compendium f/M. Technika 4 x 5 w/Adapter #00.2659	00.1926
Filter Folding Frame 4 x 4", Set of 3	00.2013
Neck Strap f/M. Technika 4 x 5	02.2530
Replacement Leather Strap f/Anatomical Grip	03.1024
SPECIFICATIONS FOR MASTER TECHNIKA 4 x 5	
Front: 30° lens tilt fwd. & bkwd. on the horizontal axis 15° left or right on the vertical axis 15° 30° 2-step dropbed with click stops 55mm lens standard rise 78mm full side to side shift Back: 18° swings in all directions Max. Bellows Draw: 360mm Weight: 7 lbs. with grip without lens	

	Cat.
SUPER TECHNIKA V 5x7" Super Technika V 5 x 7" with coupled rangefinder, wideangle track, detachable finder shoe, Universal back with revolving frame, ground glass, attachment for distance scales, without lens and lensboard, without anatomical grip.	00.0014
Anatomical Grip Left w/wrist loop and release 21"	00.2550
Fresnel Screen 5 x 7"	02.1822
Anatomical Grip Right	00.2552
Factory Equipped and Packaged Basic Outfit: As listed above w/o Lensboard w/o Lens	
RECOMMENDED OUTFIT: (Other Lenses see separate list — Section C)	
Super Angulon 121mm f/8, Ø80mm Compur 0	00.0349
Lensboard 5 x 7	00.1051
Sironar 210mm f/5.6, Ø60mm, Compur 1,	00.0665
Lensboard 5 x 7	00.1129
Tele Arton 360mm f/5.5, Ø 100mm, Compur 3	00.0506
Lensboard 5 x 7	00.1061
Multifocus Optical Viewfinder 5 x 7 Masks for above: 4 x 5, Cat.#1403, 3¼ x 4¼, Cat.#1404	00.1392
Focusing Hood 5 x 7	00.1637
Reflex Attachment 5 x 7	00.2507
Focusing & Light Measuring Bellows for 5x7 Cameras	00.2505
Adapter for Luna-Pro Exposure Meter	00.2581
Compendium f/Super Technika 57 w/Adapter #00.2659	00.1926
Filter Folding Frame 4 x 4"/per set of 3	00.2013
Reducing Frame 5 x 7 to 4 x 5 (allows use of 4 x 5 Rollfilm Holders)	00.1606
Universal Back 4 x 5 (allows use of 4 x 5 Cut Film Plate Holders)	00.1618
SPECIFICATIONS FOR SUPER TECHNIKA V 5x7	
Front: 15° lens tilt fwd. & bkwd. on the horizon-	
tal axis  15° left or right on the vertical axis 15°, 30° 2-step dropbed with click stops 81mm lens standard rise Back: 30° swings in all directions Max. Bellows Draw: 500mm Weight: 12 lbs. with grip without lens	

MARKETING CORP., LINHOF DIVISION

Sole Importers

216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577 ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE. THIS LIST SUPERSEDES ALL PREVIOUS LISTS.





Cat.

No.

00.0072

00.0073

## KARDAN CAMERAS

PAGE A-3

## KARDAN CAMERAS



#### KARDAN STANDARD 4x5

The lightest (8½ lbs.) view camera in the Linhof line with the proverbial Linhof quality. In spite of its lightweight, the camera is ruggedly built reflecting Linhof experience in the manufacture of precision photo technical equipment. Basic outfit: permanently installed normal Bellows (no wide-angle bellows needed), non-detachable universal revolving back, with lensboard 45 (#00.1013) without bens.

#### KARDAN STANDARD 8x10

The ideal partner for the new Polaroid Type 808 instant print material, featuring the full complement of camera movements (except vertical rise on back standard). As it weighs only 14 lbs. it can be used for field or copy applications as well as studio work. The Kardan Standard uses most Linhof 8x10 accessories. Basic outfit: Monorail 23" (interchangeable) snap-on Kardan back 8x10, interchangeable 23" conical bellows with lensboard (#00.1080) without lens.

#### KARDAN STANDARD

	2"
Basic Monorail 18" 23	,
Long Monorail — 35½	2"
Front Standard	
Full side-to-side shift 3½" 3½	2"
Lens rise 13/8" 11/3	2"
Lens drop 13/8" 11/3	2"
Vertical Axis swing 30° 30	)°
Horizontal center Tilt	
Back Standard	
Full side-to-side shift 3½" 3½"	2"
Rise 13/8" Non	ie
Vertical Axis Swing 30° 30	O°
Horizontal Center Tiltr	
Weight: 5lbs. 14lbs	S.

Cat. No.

00.0059

00.0068



#### KARDAN SUPER COLOR JBL 4x5

Linhof Anniversary contribution incorporates a new profile monorail, redesigned front and back standards for lower center of gravity and less vibration, one-hand locking system for swings and tilts, playfree shift through dovetail guides and smooth vertical rise controlled by convenient locking sleeves.

Basic Outfit: Standard Monorail 18½" (interchangeable) snap-on Kardan back 45

Basic Outfit: Standard Monorail 18½" (interchangeable) snap-on Kardan back 45 with ground glass, 18½" bellows (interchangeable) with lensboard (#00.1080) without lens.

#### KARDAN SUPER COLOR JBL 5x7

Same features as Kardan JBL 4x5.
Basic Outfit: Standard Monorail 23" (interchangeable) snap-on Kardan back 57 with ground glass, interchangeable conical bellows 57 with lensboard (#00.1080) without lans

HMARKETING CORP., LINHOF DIVISION

Sole Importers





## KARDAN CAMERAS

## PAGE A-4

00.0026

00.0029

00.0032

00.2596

00.2671

# KARDAN CAMERAS



KARDAN Bi —			
Technical Specifications	4x5	5x7	8x10
Basic Monorail	121/2"	121/2"	25"
Extension Monorail	121/2"	121/2"	121/2"
Maximum Bellows Extension	over 40"	over 40"	over 40"
Front Standard:			
Lens rise	31/8"	17/8"	33/8"
Lens drop	_	11/4"	31/16"
Front and Rear Standards:			
Micro-Focusing drive	21/4"	21/4"	21/4"
Micro drive lateral shift	31/3"	31/3"	31/3"
Vertical Swing	360°	360°	360°
Horizontal Swing	360°	360°	360°
	swings li	mited only	by bellows
Base tilts	180°	180°	180°
Rear Standard:			
Rise	31/8"	31/8"	31/8"
Weight:	81/4 lbs		
Possible Monorail extensions	2-121/2"	2-121/2"	1-121/2"

	Cat.
(ARDAN BI	No.
Radically new dual system camera offering unlimited center swing and base tilt movements	

achieving unparalleled versatility. Either type of movement can be employed individually or in gapless combination. Combined use of base tilt and center swing movements provide increased bellows extensions, even with camera mounted only on short basic monorail.

#### KARDAN Bi 4x5 Basic Outfit

12½" Monorail, front standard and interchangeable back standard. 16" normal bellows (Cat. #00.2624), 77mm hinged tripod base, #00.2585, Snap-on Kardan Camera back (00.1630) spring back type including ground glass 021804, with lens board (#00 1080), without lens.

#### KARDAN Bi 5x7 Basic Outfit

12% Basic Monorail, 12% extension monorail, front standard and interchangeable back standard, normal conical bellows 5x7 21½" (#002590), 77mm hinged tripod base #00.2585, Snap-on Kardan Camera back 5x7 (#001634) including ground glass #021801, with lens board #00.1080, without lens.

#### KARDAN Bi 8x10 Basic Outfit

25" Basic Monorail, Front Standard and Rear Standard, Set of Front Standard extension rods #00.2606, normal conical bellows 8x10, 21½" #00.2612, Snap-on Kardan Camera Back #001671 with ground glass #02.1814, hinged tripod base 90mm #00.2611.

#### **CONVERSION KIT KARDAN Bi 4x5 to 5x7**

Comprising 1 Kardan B 5x7 Back frame #00.2592, 1 Normal conical bellows  $5x7 \ 21\frac{1}{2}$ " #00.2590, 1  $12\frac{1}{2}$ " extension monorail #00.2588, 1 Snap on Kardan Camera back  $5x7 \ #00.1634$ , including ground glass #02.1801.


#### CONVERSION KIT KARDAN B 5x7 (or 4x5) to 8x10

Comprising: 1 Basic Monorail 25" #00.2610, 1 Kardan B 8x10 Back frame #00.2613, 1 Snap-on Kardan Camera Back #00.1671 including ground glass 02.1814, 1 double Conical bellows 8x10 30" #00.2696, 1 set of front standard extension rods #00.2606, 1 hinged tripod base 90mm #00.2611



Sole Importers

216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577



KARDAN MASTER TL—			
Technical specifications	4x5"	5x7"	8x10"
Vertical rise, lens standard	5"	5"	2.75"
Vertical fall, lens standard	2.75"	2.75"	5"
Vertical rise, back standard	3.1"	3.1"	2"
Vertical fall, back standard	1.9"	1.2"	1.2"
Lateral shift, lens	2" ea.	2" ea.	2" ea.
Lateral shift, back	2" ea.	0.8" left	2" ea.
		3.1" right	
Swings around			

vertical axis	360° (limited through bellows)
Swings around	
horizontal axis	360° (limited through bellows)
Telescopic monorail	from 450mm to 710mm (18" to 28")
	further extension possible


Amount of axial levelling in base mount	±15°	±15°	±15
Weight of camera with base			
mount, and groundglass back,			
but less lens	18.8 lbs	20 lbs	28 lb

KARDAN MASTER TL — A new superbly engineered modular view Camera with a host of exclusive features: Telescoping Monorail extends without any accessories from 18 to 28 inches, accommodating lenses from 47mm to 1000mm, sliding levelling base, snap lock fittings for instant change-over from 4x5 to 5x7, interchangeable depth of field indicator ring for all formats used, extensive adjustments on front and rear standards etc., PLUS Optionally the use of the fully electronic Prontor Auto-Lux Shutter System or a new version of the mechanical Prontor Press shutter, which closes shutter blades when inserting film holder (available Fall 1981).

**KARDAN MASTER TL 4x5 — BASIC OUTFIT:** Telescoping Monorail 18" to 28", sliding levelling base, 90mm, front and back standards, 16" normal bellows (00.2624), Kardan Camera Back, including groundglass, with lensboard 00.1080, without lens.

**KARDAN MASTER TL 5x7** — **BASIC OUTFIT:** same as 4x5 version, except: normal 21½" conical bellows (00.2590).

**KARDAN MASTER TL 8x10** — **BASIC OUTFIT:** same as above, except: 30" normal bellows (00.2696).



#### CONVERSION KITS KARDAN MASTER TL:

from 4x5 to 5x7 in. from 4x5 to 8x10 in. from 5x7 to 4x5 in. 00.2700 00.2701 00.2702

Cat.

No.

00.0075

00.0076

00.0077

ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE. THIS LIST SUPERSEDES ALL PREVIOUS LISTS.






Cat.

No.

# **SPECIAL CAMERAS**

# PAGE A-5

# SPECIAL CAMERAS



#### LINHOF TECHNORAMA 21/4 × 63/4 in.

Linhof offers a completely new camera idea: Handheld panorama photos in a format of 2/4x634 in. on ormal 120 or 220 rollfilm. Here is a new way of creating visually dramatic pictures, either vertical or horizontal, with action in the foreground. The detail and general quality are so superb that the printing results are outstanding. Archtectural photography: wide views free of distortion. High buildings: no converging verticals. No curvature of the horizon, since the projection is central.

#### **Technorama and Accessories**

Technorama 6×17cm (2¼×6¾")
Takes 4 exposures 2¼x6¾" on 120 film or 8 exposures on 220 film

With: Super Angulon 90mm f.5.6 MC lens with helical focusing mount (permanently mounted) in Compur 1 Shutter 1-1/500 sec.
Removable special optical finder with reflected spirit level, optional eye-piece correction lenses, 2 hot shoes for flash, 36" tripod socket.

Aluminum Case for above Center Filter f/5.6/90 Super Angulon MC

Flash Bracket for 2 Units

Cover Plate w/21/4x634" Slide Holder for
Liesegang Overhead-Super Projector, Mod.#611

00.0066

Cat.

No.

02.2454 02.2281 00.2672 00.2673



#### LINHOF TECHNAR AND ACCESSORIES

Technar wide angle camera body Including anatomical grip with battery container, optical multi-format finder and snap-on ground glass back 4x5.

Super Angulon 5.6/65mm MC w/solenoid Super Angulon 5.6/75mm MC w/solenoid Super Angulon 5.6/90mm MC w/solenoid Technar Viewfinder Mask 65/6x7 Technar Viewfinder Mask 65/21/4x31/4" Technar Viewfinder Mask 75/4x5" Technar Viewfinder Mask 90/4x5"

One each finder mask is included with each lens purchase matching its' focal length and the largest useable format. Additional masks available.

00.0071

00.0659 00.0660 00.0661 00.1421 00.1422 00.1424 00.1427

MARKETING CORP., LINHOF DIVISION

Sole Importers

ALLS ROAD, CEDAR GROVE, NJ USA 0













Cat.

No.

001617

001618

# SLIDE PROJECTOR

# PAGE B-1

# CAMERA BACKS



LINHOF SLIDE PROJECTOR

for all slides from 24 x 36 mm up to 21/4 x 23/4 in. and larger, slide changer included. High efficiency blower system 110/220 V, three stage electrical switch for projection program, lamp economizing switch

Supplied with:

3-pole cable 1.8 m Slide changer 6 masks from 24 x 36 mm format up to 21/4 x 31/4 -6 x 9 format and one of the following lenses: Projector Lens f:210 mm Projector Lens f:150 mm

Accessories:

Projector Lens f:210 mm Projector Lens f:150 mm

Halogen Projection Lamp 650W/110V

022820 022819

Cat.

No.

022822 022821 022823



SLIDE CASE for 100 slides in 31/4 "x31/4" mounts 022806 PROJECTOR CASE

022451

002807

002808

033382



**LINHOF VIEWER** 

for mounted transparencies 3% x 3% — 85 x 85 mm to 2% x 2% — 7 x 7 cm. Removable lens with 1.7-fold amplification, 8 V/5W lamp with E 10 socket and cable included

for 110 V AC

Accessories

SLIDE CHANGER DUAL FORMAT for mounted slides 2¾ x 2¾ - 7 x 7 cm and unmounted transparencies 21/4 x 23/4 in. /56 x 72 mm and 21/4 x 21/4 in. / 6 x 6 cm, with mask

Spare Bulb 8V/5W

FRAME (TECHNIKA CAMERAS)

BACKS FOR CAMERAS WITH REVOLVING

001617

OUICK-CHANGE BACK 21/4 x 31/4 in. - 6,5 x 9 cm

for TECHNIKA 70. SUPER TECHNIKA 23 / 6 x 9. PRESS 70, AERO PRESS and AERO ELEC-TRIC also for cameras of larger formats with corresponding reducing frames (see 001606, 001608). Comprises revolving frame (001613) with groundglass frame and removable focusing hood.

001618

UNIVERSAL BACK 4 x 5 in. / 9 x 12 cm

(with depth-of-field table in feet) for MASTER TECHN!KA 4 x 5 in. / 9 x 12 cm and AERO TECHNIKA 45, also for cameras of larger formats with reducing frame. Comprises revolving frame (001616), removable groundglass frame (001615) and removable focusing hood (001619).

Spring-back groundglass frame accepts 4x5 in. cut film and Polaroid holders, models 545 and 405. Frame equipped with Graflok fitting for Super and Cine Rollex rollfilm holders.



001610

UNIVERSAL BACK 5 x 7 in. / 13 x 18 cm for Super Technika V 5 x 7 in.

Comprises revolving frame with groundglass frame and lift-off handle and removable focusing hood (001637). For use with 5x7 film holders (Hoffman, Fidelity, etc.)

001610



MARKETING CORP., LINHOF DIVISION

Sole Importers

216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577

ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE, THIS LIST SUPERSEDES ALL PREVIOUS LISTS.





# **CAMERA BACKS**

REVOLVING FRAME (TECHNIKA CAMERAS) OR

REDUCING FRAME

REDUCING FRAMES FOR CAMERAS WITH

FOR RAPID CHANGE ADAPTER SLIDE

# PAGE B-2

# **CAMERA BACKS**



 $4 \times 5$  in.  $/ 9 \times 12$  cm to  $2^{1}/_{4} \times 3^{1}/_{4}$  in.  $/ 6.5 \times 9$  cm

001608

Cat.

No.

5 x 7 in. / 13 x 18 cm to 4 x 5 in. / 9 x 12 cm REDUCING FRAME

001606

This reducing frame is also needed for use of the LINHOF rapid change adapter slide (002620) with the Super Technika V 5 x 7 / 13 x 18.

5 x 7 in. / 13 x 18 cm to 4 x 5 in. / 9 x 12 cm REDUCING FRAME

001607

When employing the Polaroid Land Cutfilm Holder 4x5 in. (#545) with 5x7/13x18 cameras, the above reducing frame is required.

The above listed reducing frames are used in conjunction with the corresponding smaller size universal back (001618) or quick change back (001617).



001558

001630

001634

001667

001671

Permits use of Polaroid Land Cutfilm Holder #545 on 5x7 in. cameras.

SNAP-ON CAMERA BACKS FOR KARDAN B SYSTEM, KARDAN SUPER COLOR AND KARDAN MASTER L

(also for discontinued Kardan Color 45S)

4 x 5 in. / 9 x 12 cm KARDAN B camera back 45

001630

001669

001671

001634

001667

for Kardan B, Super Color and 45S with springback system and Graflok fitting, with removable groundglass, without focusing hood.

4x5 in./9x12cm

KARDAN CAMERA BACK 45 for Master L 001669 same as 001630 but with additional cm scale en-

graved on groundglass

for Kardan B, Super Color

5 x 7 in. / 13 x 18 cm KARDAN CAMERA BACK 57

with spring-back system and lift-off handle with groundglass, without focusing hood.

KARDAN CAMERA BACK 57 for Master L same as 001634 but with additional cm scale engraved on groundglass

8 x 10 in. / 18 x 24 cm KARDAN B CAMERA BACK (Super Color, B)

with lift-off handle, groundglass and removable protective cover for groundglass.

8 x 10 in. / 18 x 24 cm to 5 x 7 in. / 13 x 18 cm KARDAN REDUCING FRAME

REDUCING AND ADAPTER FRAMES FOR

KARDAN CAMERAS

001636

001659

Cat.

No.

8x10 in./18x24cm to 4x5 in./9x12cm

KARDAN REDUCING FRAME

001672

5 x 7 in. / 13 x 18 cm to 4 x 5 in. / 9 x 12 cm KARDAN REDUCING FRAME

001636

002616



**ADAPTERS** 

KARDAN UNIVERSAL REVOLVING ADAPTER for rapid change adapter slide

(Master L, B, Super Color)

also allows use of: Universal revolving back 4 x 5 in. / 9 x 12 cm, or reducing frame 4 x 5 in. / 9 x 12 cm to 21/4 x 31/4 in. / 6,5 x 9 cm (001608).

UNIVERSAL ADAPTER FRAME

001652

002583

allows reduction from Kardan 4 x 5 to revolving frame 21/4 x 31/4

POLAROID ADAPTER for Kardan B

for Polaroid Film Holder 4 x 5, Model 545 in combination with Kardan Camera Back 4 x 5 (001630)

MARKETING CORP., LINHOF DIVISION Sole Importers

216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577

ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE. THIS LIST SUPERSEDES ALL PREVIOUS LISTS.





Cat.

No.

001525

001467 001528

001462

001457

001456

037743

# FILM/PLATE HOLDERS

# PAGE B-3

# FILM/PLATE HOLDERS



4 x 5 in.

LINHOF DOUBLE CUTFILM / PLATE HOLDERS

001454 with ejector system with or without numbers

No.	w/o	1-2	3-4	5-6	7-8	9-10	11-12
Code	001454	001498	001499	001500	001501	001502	001503

4 x 5 in.

LINHOF SUPER CUTFILM HOLDERS

for 2 cutfilms with or without numbers:

No.	w/o	1-2	3–4	5-6	7–8	9–10	11-12
Code	001472	001510	001511	001512	001513	001514	001515



POLAROID 107/8 FILMPACK BACK

for 8 exposures on Polaroid film pack (picture area 3x4 in./76x102mm) For Super Technika 23 and Technika 70



SUPER ROLLEX BACKS

automatic exposure counter, film winding lever,

for 21/4 x 31/4 in. camera backs. for rollfilm No. 120:

for 8 exposures 21/4 x 31/4 in. / 6 x 9 cm for 10 exposures 21/4 x 23/4 in. / 56 x 72 mm for 12 exposures 21/4 x 21/4 in. / 6 x 6 cm \*

for rollfilm No. 220:

for 20 exposures 21/4 x 23/4 in./56 x 72 mm (or use insert 001462 with Super Rollex back 001460)



SUPER ROLLEX BACKS

automatic exposure counter, film winding lever,

for 4 x 5 in. camera backs

for 8 exposures 21/4 x 31/4 in. / 6 x 9 cm \* for 10 exposures 2<sup>1</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub> in. / 56 x 72 mm for 12 exposures 2<sup>1</sup>/<sub>4</sub> x 2<sup>1</sup>/<sub>4</sub> in. / 6 x 6 cm \*

for rollfilm No. 220:

for 20 exposures  $2^{1/4} \times 2^{3/4}$  in. / 56 x 72 mm (or use insert 001462 with Super Rollex back 001459) \* = groundglass mask included.

No.

001666

001524

001460

001526

001465

001523

001459 001527

001464

Cat.











INSERTS FOR SUPER ROLLEX for 21/4 x 31/4 in. and 4 x 5 in. housings for rollfilm No. 120:

for 8 exposures 21/4 x 31/4 in. / 6 x 9 cm for 10 exposures  $2^{1/4} \times 2^{3/4}$  in.  $/ 56 \times 72$  mm for 12 exposures  $2^{1/4} \times 2^{1/4}$  in.  $/ 6 \times 6$  cm for rollfilm No. 220:

for 20 exposures 21/4 x 23/4 in. / 56 x 72 mm (interchangeable with insert 001467 for rollfilm 120)

CINE ROLLEX for 21/4 x31/4 camera backs

for 53 exposures 21/4×23/4 in. (56×72 mm) on perforated 70 mm film, with automatic exposure counter and film winding lever

CINE ROLLEX for 4x5 in. camera backs. Otherwide same as model 001457.

VACUUM ROLLFILM BACK 4 x 5

70mm CARTRIDGE complete. 022508 for up to 53 exposures on perforated 70mm film

consisting of: 022509 Cartridge housing 022510 Film spool 022511 BOX for 2 cartridges

FILM WINDER for 70 mm film 002513 002514 FILM FEEDER for film winder 001551

with manual film transport for unperforated rollfilm 5" x 50 ft (126 mm x 15 m) for approx. 150 exposures, incorporated vacuum pump for absolute film flatness, including rechargeable 15 V battery, main switch with control lamp, incorporated fuses. 2 film spools included.

Fits Linhof cameras with revolving frame 4x5 (Aero Technika 45, Technika 4x5 models). For Kardan cameras, Universal Revolving Adapter 002616 reguired. Not adaptable to Kardan Standard 4x5.

BATTERY 15 V. DEAC 12/500 DKZ

rechargeable, included in price of vacuum rollfilm back (001551)

**BATTERY CHARGER 15V (220V AC)** 002567 For use with battery (037743). 022505

LINHOF CHANGING BAG inflatable, for loading negative holders in daylight, 18 x 21 1/2 in.

\*\* Prices on regest

for rollfilm No. 120:

MARKETING CORP., LINHOF DIVISION

Sole Importers

216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577

ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE. THIS LIST SUPERSEDES ALL PREVIOUS LISTS.





**FILTERS** 

PAGE B-4

**FILTERS** 

CONVERSION	FILTERS for C	OLOR FILM		
R = red-brown	filter B =	= blue-violet-fi		
Specifications i. e. mired shift value (glass colour)	Film Type	Application	Approx. Requested Exposure- time increas	Approx. corresponds to Kodak e Wratten
R 1,5 Skylight pale-pink	Daylight reversal colour film 5800° Kelvin	Subdues excess blue in sunny weather		1 A
R3 Amber	Daylight reversal colour film 5800° Kelvin	Subdues excess blue in sunny- diffused light	-	81 B
R 6 Light red-brown	Daylight reversal colour film 5800° Kelvin	For exposures, in open shade on cloudless days or for interiors, without additional lighting etc.	1,5 x	81 EF + 81
R 12 Medium red-brown	Artificial light reversal colour film 3200° Kelvin	For daylight exposures on artificial light color film	2 x	85
B 1,5 Pale-blue	Daylight reversal colour film 5800° Kelvin	Prevents excess red in the late afternoon		82 C
B 3 Light-blue violet	Daylight reversal colour film 5800° Kelvin	Same as B 1,5 but more intense	1,5 x	82 B
B 6 Medium blue violet	Daylight reversal colour film 5800° Kelvin	At sunset or as conversion filter in artificial light of 3800° Kelvin approx.	2 x	82 + 82 C
B 12 Dark-blue violet	Daylight reversal colour film 5800° Kelvin	For converting daylight film for use in artificial light	3×	80 B

	Cat. No.
À	
POLARIZING FILTERS SLIP-IN FILTER 70 mm diam.	002080
SCREW-IN FILTERS M 58 x 0,75 (LINHOF 220) M 77 x 0,75 M 82 x 0,75 M 86 x 1 M 95 x 1 M 105 x 1	022280 022256 022257 022258 022259 022260
Polarizing filter tropical proof, in screw-in mounts only, available on request.	
CENTER FILTER	
for Super Angulon 1:8/65 mm for Super Angulon 1:8/75 mm for Super Angulon 1:8/90 mm	022138 022139 022140
for Super Angulon 1:5,6/90 mm	022281
SOFT FOCUS DISCS SLIP-IN MOUNT	
70 mm diam. grade 0 70 mm diam. grade 1	002087 002088
INFRARED SLIP-IN FILTERS 70 mm diam.	002049







**FILTERS** 

PAGE B-5

**FILTERS** 

#### SCREW-IN FILTERS

for lenses with diameters exceeding 70 mm

M	1 77 x 0.75
Cat. No.	
MASSA SOLL D	app
022202 022203 022204 022205 022206 022207 022208 022209 022210 022211	
022201	
022161 022162 022163 022164 022165 022166 022167 022168	
	Cat. No. 022202 022203 022204 022205 022206 022207 022210 022211 022201 022161 022162 022163 022164 022165 022166 022167

Cat.	M 82 x 0.75
022213 022214 022215 022216 022217 022218 022219 022220 022221 022222	
022169 022170 022171 022172 022173 022174 022175 022176	70 70 70 70

Cat.	
No.	
022224 022225 022226 022227 022228 022229 022230 022231 022232 022233	m day
022177 022178 022179 022180 022181 022182 022183 022184	

Cat.	M 95 x 1
022235 022236 022237 022238 022239 022240 022241 022242 022243 022244	
022185 022186 022187 022188 022189 022190 022191 022192	MATERIAL STATES

	M 105 x 1
Cat.	
022246 022247 022248 022249 022250 022251 022252 022253 022254 022255	188
022245	
022193 022194 022195 022196 022197 022198 022199 022200	700 700 771 771 772

HMARKETING CORP., LINHOF DIVISION





Cat.

## **LENSSHADES**

# PAGE B-6

#### **LENSSHADES** and FILTERS



00192

001021

002013





00000

	Cat.
COMPENDIUM LENSSHADES	
With the possibility to use filter foils 4x4 in./ 10x10cm (in folding filter frames 002013) and masks, including adapter	
for Super Technika 5x7 and Master Technika 4x5 incl. adapter 002659	001926
for Kardan B System and Kardan Super Color 4x5- adapter 002660	001927
for Kardan Standard 4x5/5x7 incl. adapter 002658	001925
for Kardan Master L 4x5-8x10 incl. adapter for Kardan Standard 8x10, Bi 4x5 — 8x10 for Kardan Super Color 5x7, 8x10	001929
SPARE ADAPTERS for above Compendium Lensshades:	
for Super Technika 5 x 7 and	2534

Master Technika 4 x 5	002659
for Kardan B System and Kardan Super Color 4 x 5 — 8 x 10 for Kardan Standard 4x5 and 5x7	002660 002658
for Kardan Master L 4x5 – 5x7	

FOLDING FILTER FRAME for filter foils 4x4 in. 002013
Set of 3

LENSSHADE with FILTER HOLDER 001914 70/60/51/42 mm diam.

LINHOF sunshade with filter holder for normal and telephoto lenses, except Planar and Xenotar 2.8/80 mm, Planar f = 135 and Press Xenar f = 127 mm. Consisting of lenshood, threaded reducing ring for lenshood, filter holder 70 mm diam. (for slip-in filters 70 mm), empty filter ring 70 mm dia. (002083) reducing ring 70/60 (001916).

 REDUCING RINGS for LINHOF lensshade:

 70/60 mm diam.
 001916

 70/51 mm diam.
 001915

 70/42 mm diam.
 001922

WIDE-ANGLE LENSSHADE RING
filter holder for wide-angle lenses f = 45 and f = 53, normal lenses Planar and Xenotar 2,8/80 mm. Press Xenar f = 127 and Planar f = 135.

\* Prices on request

MARKETING CORP., LINHOF DIVISION
Sole Importers

216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577

No. EMPTY FILTER RINGS for LINHOF lensshade 002083 70mm dia. (001914) 021909 SCREW-IN ELASTIC LENSSHADE M 58 x 0.75 021905 SCREW-IN ELASTIC LENSSHADE M 67 x 0.75 021910 SCREW-IN LENSSHADE M 77 x 0,75 021911 SCREW-IN LENSSHADE M 82 x 0.75 021912 SCREW-IN LENSSHADE M 86 x 1 021913 SCREW-IN LENSSHADE M 95 x 1 021914 SCREW-IN LENSSHADE M 105 x 1

FILTERS for BLACK-and-WHITE FILM

following colors available:

70 mm diam. SLIP-IN FILTERS (for Linhof Lensshade 001914)

yellow 1 yellow 2 yellow 3 green 1 green 2 orange red 1 red 2 blue UV 002060 002061 002062 002063 002064 002065 002066 002098 002067 002068

SCREW-IN FILTERS M 58 x 0,75

yellow 1 yellow 2 yellow 3 green 1 green 2 orange red 1 red 2 blue UV 022143 022144 022145 022146 022147 022148 022149 022150 022151 022152

FILTERS FOR COLOR-FILM (for Linhof Lensshade 001914)

following colors available:

70 mm diam. SLIP-IN CONVERSION FILTERS

 R1,5
 R3
 R6
 R12
 B1,5
 B3
 B6
 B12

 002032
 002033
 002034
 002035
 002036
 002037
 002038
 002039

SCREW-IN CONVERSION FILTERS M 58 x 0,75

R1,5 R3 R6 R12 B1,5 B3 B6 B12 022153 022154 022155 022156 022157 022158 022159 022160





Cat.

001392

001393

001403

001315

001372

001348

## **VIEWFINDERS**

# PAGE B-7

Cat.

001386


## **VIEWFINDERS**

		No.
	MULTIFOCUS OPTICAL VIEWFINDERS	
	with distance scale in feet for parallax and loss-of- image field correction	
	MULTIFOCUS OPTICAL VIEWFINDER 2 <sup>1</sup> / <sub>4</sub> x 3 <sup>1</sup> / <sub>4</sub> in. calibrated for focal lengths:	001388
	53 — 65 — 80 — 100 — 150 — 180 — 240 mm	
	MASKS FOR ABOVE	
	2 <sup>1</sup> / <sub>4</sub> x 3 <sup>1</sup> / <sub>4</sub> in. 6 x 9 cm 56 x 72 mm	001399 001389 001397
	6 x 6 cm 73x85mm (Special Order) for Polaroid Filmpack Holder, Model 405,	001396 049033
	56x72mm for 270mm focal length; other format masks for 270mm focal length on special request	001390
	LOS RECOGNICACIONESTA	
	MULTIFOCUS OPTICAL VIEWFINDER 4 x 5 in. calibrated for focal lengths	001378
8	75 — 90 — 135 — 150 — 180 — 210 — 240 — 250 — 270 — 300 — 360 mm	
0		
	MASKS FOR ABOVE	
	9 x 12 cm	001379
	6,5 x 9 cm	001381
	56 x 72 mm	001382
	6 x 6 cm 4 x 5 in.	001383 001385
	4 x 5 in. 2 <sup>1</sup> / <sub>4</sub> x 3 <sup>1</sup> / <sub>4</sub> in.	001387
	- 17 A O 17 III	001001

73x96mm for Polaroid Filmpack Holder,

Model 405

001378











## **MACROPHOTOGRAPHY and PHOTOMICROGRAPHY**

# PAGE B-8

## **MACROPHOTOGRAPHY** and PHOTOMICROGRAPHY



FOR PHOTOMICROGRAPHY:

MICROTUBE WITH COMPUR SHUTTER

on lens board 21/4 x 31/4" for Technika 70 and Super Technika 23

MICROTUBE WITH COMPUR SHUTTER

on lensboard 4x5" for Master Technika 4x5" and Kardan Standard 4x5".

For all other Kardan Models additionally required: 001087 Kardan Lensboard Adapter

COMPUR SHUTTER 0, only

Suitable for Microtube and also for Macro Lenses



FOR MACROPHOTOGRAPHY:

MACROTUBE WITH COMPUR SHUTTER

on lens board 21/4x31/4" for Technika 70 and Super Technika 23.

MACROTUBE WITH COMPUR SHUTTER

on lensboard 4x5" for Master Technika 4x5" and Kardan Standard 4x5".

For all other Kardan Models additionally required: 001087 Kardan Lens-







The following Macro-Lenses require no adapter and can be screwed directly into the shutter:

M-COMPONON 1:5.6/80mm in Barrel Mount reproduction ratio from 1:1 to 4.7:1\*

M-COMPONON 1:4/50mm in Barrel Mount

reproduction ratio; from 2:1 to 7.5:13

M-COMPONON 1:4/28mm in Barrel Mount

reproduction ratio from 4:1 to 14.3:1\*

NOTE

A unique method of critical exposure measurement through the ground glass, with installed Fresnel screen, is offered by the use of the focusing and light measuring bellows 2½x3¼ (002504) - 4x5 (002505) - 5x7 (002505) in conjunction with a Lunasix (Luna Pro) exposure meter and the light-tight adapter (002581) for this meter. This system provides highly accurate average and spot readings, automatically taking into account filter factors, bellows extension and working aperture.

\*These values only apply to Technika cameras 4x5 in./9x12 cm. For cameras of other formats and extensions the values vary accordingly.

Cat. No.

002694

002695

022703

002692

002693

020329

020328

020327

MARKETING CORP., LINHOF DIVISION

Sole Importers 216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577

ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE. THIS LIST SUPERSEDES ALL PREVIOUS LISTS.





### **FOCUSING AIDS**

# PAGE B-9

## **FOCUSING AIDS**

	Cat. No.
021806 021807 021813 002566 001643	
GROUNDGLASSES WITH CENTER CROSS	
21/4 x 31/4 in. with scoring 56 x 72 mm and 21/4 x 31/4 in.	021806
4 x 5 in. with scoring 9 x 12 cm and 56 x 72 mm	021804
4 x 5 in. with scoring 9 x 12 cm, 56 x 72 mm and 6 x 6 cm	021818
5x7 in. with scoring 5 x 7 in.	021801
8 x 10 in. with scoring 18 x 24 cm	021814
GROUNDGLASS WITH CENTER CROSS AND CM-SCALE	
4x5 in. with scoring 9x12cm and 56x72mm and add. cm-scale for Kardan Master L4x5	048106
5x7 in. with scoring 5x7 in. and add. cm-scale for Kardan Master L 5 x 7	048108
GROUNDGLASSES with fine grain for special fields	
of applied photography, e.g. micro and macro. Special order.	
4 x 5 in.	021824
	021024
GROUNDGLASSES WITH cm-GRID:	
21/4 x 31/4 in. with scoring 21/4 x 31/4 in. and 56 x 72mm	021807
4 x 5 in. with scoring 9 x 12 cm	021805
5x7 in. with scoring 5x7 in.	021802
8 x 10 in. with scoring 18 x 24 cm	021816
GROUNDGLASSES WITH CLEAR CENTER SPOT AND CENTER CROSS:	
21/4 x 31/4 in. with scoring 21/4 x 31/4 in. and 56 x 72mm	021813
4 x 5 in. with scoring 9 x 12 cm and 56 x 72 mm	021812
5x7 in. with scoring 5x7 in.	021808
EDECNIEL CODEFINO (as being to the	
FRESNEL SCREENS for brightening the groundglass image for camera backs:	1
2 <sup>1</sup> / <sub>4</sub> x 3 <sup>1</sup> / <sub>4</sub> in. with mounting elements 032924	002566
4 x 5 in. with mounting elements 032792	002500
5 x 7 in .	021822
8 x 10 in. (mounting elements already mounted on camera back)	022561
GROUNDGLASS MASK 21/4 x31/4 In. (SPARE)	
	001643
for groundglass frame 4x5 in. (9x12cm) for use in	

conjunction with Super Rollex backs.





Sole Importers





Cat.

No.

002432

002429

002431

002643

002644

002636

022578

## FOCUSING AIDS (continued)

# PAGE B-10

#### **CABLE RELEASES**



002599



002645

## LINHOF SPIRIT LEVEL

glass clear plexiglass body with dual level for horizontal and vertical levelling for horizontal and vertical formats.

#### CLAMP SPRING

for attaching the spirit level to groundglasses 4 x 5 in. / 9 x 12 cm and 5 x 7 in. / 13 x 18 cm.

#### LINHOF FOCUSING MAGNIFIER x8

#### LINHOF RAPID-CHANGE ADAPTER SLIDE 4 x 5 in. / 9 x 12 cm

for vertical and horizontal pictures 4x5 in. (9x12cm), including revolving groundglass back. Locks directly to 4x5 revolving backs (Technika cameras). For Kardan Super Color, Kardan Master L and Kardan B System 4x5 in. (9x12 cm) only in combination with revolving frame adapter (002616). Shortest usable focal length with Kardan Master L 180mm, as camera back standard has to be reversed.



002620

The following film holders can be employed: Super Rollex and Cine Rollex Backs for camera backs 4 x 5 in. / 9 x 12 cm for all negative sizes, LINHOF Super Cutfilm Holders and Double Holders 4 x 5 in. / 9 x 12 cm, Grafmatic Magazines, Polaroid Land Cutfilm Holders and Polaroid Filmpack Holders 4 x 5 in. / 9 x 12 cm.

Outstanding characteristics of the Rapid-Change Adapter Slide: One-handed operation. Automatic locking and unlocking. Change from vertical to horizontal format without turning the adapter. The light-tightness allows focusing with the filmbacks in ready to shoot position.

When quick succession of groundglass focusing and exposure is needed as for instance in portrait photography, especially of children, or when serial copying work must be done with a minimum loss of time, the Linhof Automatic Shutter Control

#### LINHOF Automatic Shutter Control for Rapid Change Adapter Slide

The following parts are needed:

Rapid change adapter siide 9 x 12 / 4 x 5 in. Automatic blade opener One of the following 3 lenses in self-cocking Prontor-Press shutter 1—1/125 sec. Componon-S 100mm/5.6 Xenar 150mm / 4.5 Tele Arton 250mm/5.6 4 x 5 in. Lensboard for each of above 3 lenses

Kardan Universal Revolving Adapter (required for Kardan Master L, B, Super Color, 45S). Rapid Change Adapter Slide not adaptable to Kardan Standard 4x5.

The automatic blade opener can be used with all rapid change adapter slides which have two threaded holes on the narrow side. Earlier models must be sent to our factory for adaptation.

MARKETING CORP., LINHOF DIVISION

Sole Importers 216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577

Cat. No.

002599

002523

002645

002620

002620

002638

000578

000579

000580

001107

002616



# CABLE RELEASES

250 mm with T-lock and turning nipple, metal covered, especially for Press 70. Aero Press

131/2 in. 340 mm with turning nipple and T-lock (supplied with anatomical grip 23)

17 in. 430 mm with T-lock and turning 002430 nipple (supplied with anatomical grip 45)

20 in. 500 mm without T-lock, black, 002435 for copying outfits 21 in. 530 mm with T-lock and rigid 002427

nipple 21 in 530 mm with T-lock and turning nipple (supplied with

anatomical grip 57) 291/2 in. 750 mm with T-lock and turning 002434 nipple, metal covered

FOR AERO TECHNIKA

# **ELECTRO-MAGNETIC RELEASE SYSTEM**

Special order only. Comprises:

SOLENOID to be mounted on lensboard † BATTERY HOLDER FOR


MAGNETIC RELEASE (without batteries) A great number of lenses with the corresponding spe-

cial lensboards are available with magnetic release for Technika cameras 21/4 x 31/4 in./6x9cm, 4 x 5 in./9x12cm, and 5 x 7 in./13 x 18cm.

#### BATTERY 15 V, IEC 10 F (2 batteries necessary)

Customer-owned lenses must be factory-equipped with the magnetic release system.

If more than one lens with magnetic release system is to be used with the same camera, only one battery holder (No. 002636) must be ordered. However, for each lens the solenoid (No. 002644) must be purchased.



† See Linhof Lens Price List for listing of lensboards for solenoids.

> ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE. THIS LIST SUPERSEDES ALL PREVIOUS LISTS.





# **MONORAIL CAMERA ACCESSORIES**

# PAGE B-11

Cat.


# **MONORAIL CAMERA ACCESSORIES**



No. HINGED TRIPOD BASE 90 mm diam. 002611 for Kardan cameras HINGED TRIPOD BASE 77 mm diam. 002585 for Kardan cameras LEVELLING TRIPOD BASE 90 mm diam. 002650 for Kardan Master L BELLOWS SUPPORT slides over the monorail of Kardan B and Kardan Super Color cameras: (none available for Master L)  $4 \times 5 / 9 \times 12$ 002579 8 x 10 / 18 x 24 002607 002606 002588 002653 002654 002687 002680 002687 002680



than 75 mm mounted on 23/6x9 lensboards when used in Master Technika 4 x 5





MARKETING CORP., LINHOF DIVISION





## CAMERA CASES

# **PAGE B-12**

Cat.

022457

022446

022456

022530

022458

022455

022438

022429

022448

No.

## LENS BOARDS

FOR TECHNIKA CAMERAS





022457

#### CAMERA ALUMINIUM CASE

for Master Technika V 4 x 5"/9 x 12 cm, tropical-proof, dust and humidity protected.

#### CAMERA SHOULDER CASE

for Technika 70 and Master Technika 4 x 5" / 9 x 12 cm with shoulder strap. With compartments for: camera with lens, 2 additional lenses, multifocus optical viewfinder, 6 double plate holders, 1 Super Rollex back, 1 lensshade, 4 filters.

#### CAMERA ALUMINIUM CASE

for Super Technika V 5 x 7" / 13 x 18 cm, tropical-proof, with compartments for: camera with lens, anatomical grip, 3 additional lenses, 6 double plate holders 5 x 7 cm, multifocus optical viewfinder, Super Rollex backs, reducing back, lens-shade

NECK STRAP with anti-slip pad for 4 x 5 camera

#### CAMERA ALUMINIUM CASE

for Super Technika V 23 / 6,5 x 9 cm

#### FOR KARDAN CAMERAS



CAMERA CASE

for Kardan Standard 4 x 5 / 9 x 12 with foam rubber insert (removable monorail)

CAMERA CASE

for Kardan B 4 x 5 / 9 x 12 with foam rubber insert

#### CAMERA ALUMINIUM CASE

for Kardan B 4 x 5 / 9 x 12

#### CAMERA CASE

for Kardan Master L, Kardan Super Color 4 x 5 / 9 x 12 and 5 x 7 / 13 x 18

#### CAMERA ALUMINIUM CASE

for Kardan Super Color 8 x 10 / 18 x 24 022452 022460 for Kardan JBL 45, 57 for Kardan STD 8x10 022462 for Kardan Master L 8x10 022461

\*\*Prices on request

MARKETING CORP., LINHOF DIVISION

Sole Importers 216 LITTLE FALLS ROAD, CEDAR GROVE, NJ USA 07009 TEL: (201) 857-0171 (212) 732-0783 TELEX 133577

Cat. No. **TECHNIKA LENSBOARDS** Lensboard 23 w/center hole 00.1001 Lensboard 23 w/c-r gsocket f/Compur 0 shutter 00.1002 Recd. Lensboard 23 w/c-r qs f/Compur 00 shutter Lensboard 23 w/c-r qsocket f/Compur 0 shutter 00.1004 00.1005 Lensboard 57 w/c-r gsocket f/Compur 0 shutter 00.1011 Lensboard 45 f/Compur 00 shutter 00.1012 Lensboard 45 w/center hole 00.1013 Recd. Lensboard 45 w/c-r qs f/Compur 0 shutter 00.1015 Lensboard 45 w/c-r gsocket f/Compur 0 shutter 00.1017 Lensboard 57 w/c-r gsocket f/Compur 0 shutter 00.1051 Lensboard 23 w/sp. tube f/Compur 3 shutter 00.1058 Lensboard 45 f/Compur 3 shutter 00.1059 Lensboard 57 f/Compur 3 shutter 00.1061 Lensboard 23 f/Cr. 1/EL.1 00.1106 Lensboard 45 f/EL. 00.1107 Lensboard 57 f/EL. 00.1108 Recd.Lensboard 45 f/Componon 60 00.1118 Lensboard w/space ring 45 f/Copal 3 shutter 00.1119 Lensboard 45 w/c-r gsocket f/Compur 1 shutter 00.1120 Lensboard 45 w/c-r qsocket f/Copal 1 shutter 00.1121 Lensboard 57 w/c-r gsocket f/Copal 0 shutter 00.1122 Lensboard 57 w/c-r gsocket f/Copal 1 shutter 00.1123 Lensboard 23 w/c-r qsocket f/Copal 0 shutter 00.1124 Lensboard 45 w/c-r qsocket f/Compur 1 shutter 00.1126 Lensboard 57 w/c-r gsocket f/Compur 1 shutter 00.1127 Lensboard 57 w/c-r qsocket f/Compur 1 shutter 00.1129 Lensboard 57 w/center hole 00.1040 **TECHNIKA REDUCING LENSBOARDS** Red.Lensboard Adapt. 57/45 00.1066 Red.Lensboard Adapt.45-23 00 1069 Red.Lensboard Adapt.45-T70 00.1070 KARDAN LENSBOARDS (except for Kardan Standard 45 which takes Technika lensbd. 45) Flat Kardan Lensboard 45 w/center hole 00.1080 Recessed Kardan Lensbd. 45 w/center hole 00.1089 Lensboard Kardan B f/El.5 00.1084 Lensboard Kardan B f/FL5 00.1085 Lensboard Kardan Std. w/c-r gsocket f/Compur 1 shutter 00.1128 KARDAN LENSBOARD ADAPTERS Kardan Adapt.f/57 Technika Lensbd. 00.1086 Kardan Adapt.f/45 Tecnika Lensbd. 00.1087 Kardan Adapt.f/23 Technika Lensbd. 00.1088 Recd. Kardan Adapt. f/23 Technika Lensboard 00.1092 Recd. Kardan Adapt. f/45 Technika Lensboard 00.1093





## **CONVERSION KITS**

# PAGE B-13

## **VARIOPORT CLAMP COLUMNS**

	No.
CONVERSION KIT KARDAN SC JBL 45 to 57	00.2674
Converts basic outfit (000072) to 5x7: consisting of:	
Kardan Groundglass Back 57 Normal Conical Bellows 57 Kardan SC JBL 57 Back Standard	
CONVERSION KIT KARDAN SC JBL 57 to 45	00,2675
Converts basic outfit (000073) to 45: consisting of:	
Kardan Groundglass back 45 Normal Bellows 45 Kardan SCL JBL 45 Back Standard	
CONVERSION KIT KARDAN SC 4 x 5 to KARDAN SC 5 x 7	002667
Converts basic outfit (000062) to 5 x 7": consisting of:	
Extension Monorail 12 <sup>1</sup> / <sub>2</sub> in. / 320 mm Kardan Groundglass Back 5 x 7 in. Normal Conical Bellows 5 x 7, 21 <sup>1</sup> / <sub>2</sub> in. / 550 mm Kardan SC 5 x 7 Back Standard	
CONVERSION KIT KARDAN SC 4 x 5 to KARDAN SC 8 x 10:	002669
Converts basic outfit (000062) to 8 x 10": consisting of:	
Extension Monorail 12 <sup>1</sup> / <sub>2</sub> in. / 320 mm Kardan Groundglass Back 8 x 10 in. Normal Conical Bellows 8 x 10, 21 <sup>1</sup> / <sub>2</sub> in. / 550 mm Kardan SC 8 x 10 Back Standard	
CONVERSION KIT KARDAN MASTER L 4 x 5 to 5 x 7:	002649
Converts basic outfit (000057) to 5 x 7, consisting of:	002010
KARDAN Groundglass Back 5 x 7 in. KARDAN L Back Frame 5 x 7 in. Normal Conical Bellows 5 x 7 in., 21 ½ in. / 550 mm	
CONVERSION KIT KARDAN MASTER L 5 x 7 to 4 x 5:	002662
Converts basic outfit (000058) to 4 x 5, consisting of:	
KARDAN Groundglass Back 4 x 5 in. KARDAN L Back Frame 4 x 5 in. Normal Bellows 4 x 5 in., 16 in. / 400 mm	



ALL SPECIFICATIONS AND TECHNICAL DATA SUBJECT TO CHANGE WITHOUT NOTICE. THIS LIST SUPERSEDES ALL PREVIOUS LISTS.

HMARKETING CORP., LINHOF DIVISION

Sole Importers





## STUDIO STANDS

#### PAGE D-1

#### **STUDIO STANDS**



CAT. NO. 003441 STUDIOMATIC 60 The latest addition to the proven line of LINHOF Studio Stands, now with Professional black finish. Solid square steel column, asymmetrical outrigger arm with 2 tripod plates (77mm diam.) and 3/8 in.-Camera-Screws for Cameras up to 8x10 in. Permits simultaneous mounting of two cameras. Teflon Rollers and adjustable counter weight assure smooth vertical travel. Selflocking height adjustment. Symmetrical, solid die-cast base with ball-bearing casters for ease of movement. Foot pedal locks solidly to the floor. Automatic compensation for uneven ground. Provision for adding swivel-bracket with Accessory Platform. 153/4x11 in. Working Range: Near floor level to 67 in. Total Capacity: up to 33 lbs. Height: 791/2 in. Weight: 89.29 lbs. Accessory Platform, 153/4×11 in. 003757 (24 mm Center fitting) Swivel Bracket for Accessory Platform 003823 Additional Counter-Weight 11 lbs. 003843 003441

MARKETING CORP., LINHOF DIVISION